

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
6	811	variable same bit same address same status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:04
17	3635	(709/205,204,212,225,244).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:04
19	777	(707/8).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:04
24	61	monitor same thread same object same lock\$3 same synchroniz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:04
28	97	(reus\$3 or recycl\$3) adj (lock or monitor or mutex or semaphore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:13
30	0	object adj synchronization adj module adj method adj reduced adj memory adj requirements	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:05
36	0	(709/313).CCLS.	USPAT	2004/09/08 15:05
37	1580	(releas\$3 or reus\$3 or recycl\$3) near (lock or mutex or semaphore or synchroniz\$5) same object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
42	1126	lock adj (pointer or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
44	3128	lock\$3 adj mechanism with (pointer or reference or variable or bound or bind)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
45	2578	lock\$3 adj mechanism with (pointer or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
49	105	((thread same synchroniz\$5).ab.) and (monitor or mutex or semaphore)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
53	570	pool with lock	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:09

54	8	pool with lock same synchronization	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
59	88	complex adj lock	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:05
7	6	("27" adj bit) same ("5" adj bit) same state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
8	5	("27" adj bit) same ("5" adj bit) same (state or status) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
9	3	(I/O adj server) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
10	5	(network adj process) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
11	3	(i/o adj server) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
12	1	((thread or object) adj lock) same (boundary or threshold) same value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
13	7	((thread or object) adj lock\$3) same recycl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
14	2	(recycl\$3) near3 (lock or mutex or semaphore or synchroniz\$5) with object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
15	67	transmission with lock same thread	USPAT	2004/09/08 15:06
16	16	(recycl\$3 or reus\$3 or releas\$3) near (lock adj object) same (pointer or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
18	87	((707/8).CCLS.) and lock\$3 adj object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06

20	85	lock adj2 (address or pointer or reference) with object and synchroniz\$5	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
21	13	((thread or object) adj lock) same (boundary or threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
22	52	((thread or object) adj lock\$3) and pointer and bit and synchroniz\$3) and (recycl\$3 or reus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
23	4	(lock\$3 adj mechanism) same thread same object same bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
25	9	(monitor same thread same object same lock\$3 same synchroniz\$5) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
26	25	variable same bit same address same status same "27"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
27	39	object same variable same bit same address same status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
29	25	(variable same ((high and low) adj bit)) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
31	105	("27" adj bit) same ("5" adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
32	42	((thread or object) adj lock\$3) same (recycl\$3 or reus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
33	128	((thread or object) adj lock\$3) and pointer and bit and synchroniz\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
34	54	(interprocess or (inter adj process)) adj communication same (broadcast\$3 or (collective adj communication) or (multi adj casting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
35	5	(release or reuse or recycle) adj lock with object with (benefit or advantage or efficient or efficiency)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06

38	86	(releas\$3 or reus\$3 or recycl\$3) near (lock or mutex or semaphore or synchroniz\$5) same object same resource	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
39	15	(recycl\$3) near3 (lock or mutex or semaphore or synchroniz\$5) same (thread or process)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
40	68	(cache or pool) near (lock or mutex or semaphore or synchroniz\$5) with object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
41	8	lock adj object adj (pointer or reference)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
43	96	lock adj (pointer or reference) same synchronization	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
46	32	lock\$3 adj mechanism with (pointer or reference) with object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
47	40	(cache or pool) near (lock or mutex or semaphore or synchroniz\$5) same object same synchroniz\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
48	10	(java same thread same synchroniz\$5).ab.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
50	157	((thread same synchroniz\$5).ab.) and (monitor or mutex or semaphore or lock)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
51	45	lock with object with pointer same thread	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
52	5	pool with object with pointer same thread	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
55	10	pool with lock same synchroniz\$7	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
56	9	pool near2 (lock or mutex or semaphore or monitor or synchroniz\$7) same synchroniz\$7 same thread same object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06

57	42	(thread same object near2 synchroniz\$7).ab.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
58	80	(thread same object near2 synchroniz\$7 same (pointer or address or reference))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
60	4	complex adj lock same synchroniz\$7	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
61	74	(return\$3 or releas\$3 or unlock\$3) same synchroniz\$9 same thread same pointer	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:06
62	12	(resource or data) adj object with pointer with (lock or (synchronization adj construct) or mutex or monitor or semaphore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:06
63	338	(719/316).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:08
64	764	(718/104).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:24
65	409	(718/106).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:09
66	18	((releas\$3 or reus\$3 or recycl\$3) near (lock or mutex or semaphore or synchroniz\$5) same object) and (pool with lock)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:10
67	6	6237043.URPN.	USPAT	2004/09/08 15:11
68	70	((reus\$3 or recycl\$3) adj (lock or monitor or mutex or semaphore)) and ((@ad < "19981221") or (@prad < "19981221") or (@rlad < "19981221"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:25
69	501	((718/104).CCLS.) and ((@ad < "19981221") or (@prad < "19981221") or (@rlad < "19981221"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:24
70	324	(718/104).cor.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/08 15:24

71	206	((718/104).cor.) and ((@ad < "19981221") or (@prad < "19981221") or (@rlad < "19981221"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/08 15:26
----	-----	---	---	------------------